

References

Example References Used to Guide Duration Recommendations

Sinusitis

Falagas ME, Karageorgopoulos DE, Grammatikos AP, Matthaiou DK. Effectiveness and safety of short vs. long duration of antibiotic therapy for acute bacterial sinusitis: a meta-analysis of randomized trials. *Br J Clin Pharmacol*. 2009;67(2):161-71. Available from: <https://doi.org/10.1111/j.1365-2125.2008.03306.x>

Pneumonia

Uranga A, España PP, Bilbao A, Quintana JM, Arriaga I, Intxausti M, et al. Duration of antibiotic treatment in community-acquired pneumonia: a multicenter randomized clinical trial. *JAMA Intern Med*. 2016;176(9):1257-65. Available from: <https://doi.org/10.1001/jamainternmed.2016.3633>

Cellulitis

Moran G J, Fang E, Corey GR, Das AF, De Anda C, Prokocimer P. Tedizolid for 6 days versus linezolid for 10 days for acute bacterial skin and skin-structure infections (ESTABLISH-2): a randomised, double-blind, phase 3, non-inferiority trial. *Lancet Infect Dis*. 2014;14(8):696-705. Available from: [https://doi.org/10.1016/S1473-3099\(14\)70737-6](https://doi.org/10.1016/S1473-3099(14)70737-6)

Otitis Media

Hoberman A, Paradise JL, Rockette HE, Kearney DH, Bhatnagar S, Shope TR, et al. Shortened antimicrobial treatment for acute otitis media in young children. *N Engl J Med*. 2016;375(25):2446-56. Available from: <https://doi.org/10.1056/NEJMoa1606043>

Cystitis

Kim DK, Kim JH, Lee JY, Ku NS, Lee HS, Park J-Y, et al. Reappraisal of the treatment duration of antibiotic regimens for acute uncomplicated cystitis in adult women: a systematic review and network meta-analysis of 61 randomised clinical trials. *Lancet Infect Dis*. 2020;20(9):1080-8. Available from: [https://doi.org/10.1016/S1473-3099\(20\)30121-3](https://doi.org/10.1016/S1473-3099(20)30121-3)

COPD Exacerbation

Stolbrink M, Amiry J, Blakey JD. Does antibiotic treatment duration affect the outcomes of exacerbations of asthma and COPD? A systematic review. *Chron Respir Dis*. 2018;15(3):225-40. Available from: <https://doi.org/10.1177/1479972317745734>

References Listed by Condition

<https://www.bradspellberg.com/shorter-is-better>

Other references

1. Xu AX, Brown K, Schwartz KL, Aghlmandi S, Alderson S, Brehaut JC, et al. Audit and feedback interventions for antibiotic prescribing in primary care: a systematic review and meta-analysis. *Clin Infect Dis*. 2025;80(2):253-62. Available from: <https://doi.org/10.1093/cid/ciae604>
2. Langford BJ, Schwartz KL. Audit and feedback to improve antibiotic prescribing in primary care—the time is now. *BMJ Qual Saf*. 2025;34(5):282-4. Available from: <https://doi.org/10.1136/bmjqs-2024-018081>
3. Schwartz KL, Shuldiner J, Langford BJ, Brown KA, Schultz SE, Leung V, et al. Mailed feedback to primary care physicians on antibiotic prescribing for patients aged 65 years and older: pragmatic, factorial randomised controlled trial. *BMJ*. 2024;385:e079329. Available from: <https://doi.org/10.1136/bmj-2024-079329>
4. Schwartz KL, Xu AX, Alderson S, Bjerrum L, Brehaut J, Brown BC, et al. Best practice guidance for antibiotic audit and feedback interventions in primary care: a modified Delphi study from the Joint Programming Initiative on Antimicrobial resistance: Primary Care Antibiotic Audit and Feedback Network (JPIAMR-PAAN). *Antimicrob Resist Infect Control*. 2023;12(1):72. Available from: <https://doi.org/10.1186/s13756-023-01279-z>
5. Kianmehr H, Sabounchi NS, Sabounchi SS, Cosler LE. Patient expectation trends on receiving antibiotic prescriptions for respiratory tract infections: a systematic review and meta-regression analysis. *Int J Clin Pract*. 2019;73(7):e13360. Available from: <https://doi.org/10.1111/ijcp.13360>
6. Schwartz KL, Langford BJ, Daneman N, Chen B, Brown KA, McIsaac W, et al. Unnecessary antibiotic prescribing in a Canadian primary care setting: a descriptive analysis using routinely collected electronic medical record data. *CMAJ Open*. 2020;8(2):E360-9. Available from: <https://doi.org/10.9778/cmajo.20190175>
7. Silverman M, Povitz M, Sontrop JM, Shariff SZ. Antibiotic prescribing for nonbacterial acute upper respiratory infections in elderly persons. *Ann Int Med*. 2017;166(11):765-74. Available from: <https://doi.org/10.7326/L17-0438>
8. Smith SM, Fahey T, Smucny J, Becker LA. Antibiotics for acute bronchitis. *Cochrane Database Syst Rev*. 2017;6(6):CD000245. Available from: <https://doi.org/10.1002/14651858.cd000245.pub4>
9. Mangione-Smith R, Zhou C, Robinson JD, Taylor JA, Elliott MN, Heritage J. Communication practices and antibiotic use for acute respiratory tract infections in children. *Ann Fam Med*. 2015;13(3):221-7. Available from: <https://doi.org/10.1370/afm.1785>

10. Mölsted S, Löfmark S, Carlin K, Erntell M, Aspevall O, Blad L, et al. Lessons learnt during 20 years of the Swedish strategic programme against antibiotic resistance. Bull World Health Org. 2017;95(11):764. Available from: <https://doi.org/10.2471/BLT.16.184374>
11. Lemiengre M, van Driel ML, Merenstein D, Liira H, Mäkelä M, De Sutter AI. Antibiotics for acute rhinosinusitis in adults. Cochrane Database Syst Rev. 2018;9(9):CD006089. Available from: <https://doi.org/10.1002/14651858.cd006089.pub5>
12. Spinks A, Glasziou PP, Del Mar CB. Antibiotics for sore throat. Cochrane Database Syst Rev. 2013;2013(11):CD000023. Available from: <https://doi.org/10.1002/14651858.cd000023.pub4>